

檢驗報告

報告編號: UB/2010/A0781A-01 日期: 2010年11月08日 頁數:1 of 4

凱斯登傳播有限公司

台北市中山區忠孝東路2段66號2F

以下測試之樣品係由供應廠商所提供及確認:

產品名稱: 速酸寧

送樣日期: 2010年10月25日 2010年10月26日 測試日期:

委託測試項目: 112項常見西藥成份定性分析

本測試參考行政院衛生署藥物食品檢驗局調查研究年報. 23:136-148 2005,以及Journal of 測試方法:

Pharmaceutical and Biomedical Analysis Volume 40, Issue 2, 13 February 2006, Pages 305-

311,以液相層析質譜儀(LC/MS)檢測。

此份樣品共檢測112項常見西藥成份,均未檢出。 測試結果:

- 請見下頁 -

Signed for and on beha SGS Taiwan Ltd. Yuarl-Min Manager

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the

Company.除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。
This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



頁數:2 of 4

檢驗報告

報告編號: UB/2010/A0781A-01 日期: 2010年11月08日

凱斯登傳播有限公司

台北市中山區忠孝東路2段66號2F

測試結果:

| 測試項目 | 測試結果 | 檢測極限 | 單位 | 測試項目 | 測試結果 | 檢測極限 | 單位 |
|-----------------------|------|------|------------|-------------------------------|------|------|------------|
| 心臟血管類用藥 | | | | Sulfaguinoxaline (SQX) | N.D. | 100 | ppm(mg/kg) |
| Atenolol | N.D. | 200 | ppm(mg/kg) | Sulfamerazine | N.D. | 200 | ppm(mg/kg) |
| 支氣管擴張劑 | | | | Sulfamethazine | N.D. | 400 | ppm(mg/kg) |
| Clenbuterol-HCl | N.D. | 200 | ppm(mg/kg) | Sulfamethizole | N.D. | 200 | ppm(mg/kg) |
| Dyphylline | N.D. | 200 | ppm(mg/kg) | Sulfamethoxazole | N.D. | 400 | ppm(mg/kg) |
| 肌肉鬆弛劑 | | | | Sulfamethoxypyridazine (SMXD) | N.D. | 200 | ppm(mg/kg) |
| Chlorzoxazone | N.D. | 400 | ppm(mg/kg) | Sulfamonomethoxine (SMM) | N.D. | 200 | ppm(mg/kg) |
| 利尿劑 | | | | Sulfathiazole (STZ) | N.D. | 200 | ppm(mg/kg) |
| Furosemide | N.D. | 40 | ppm(mg/kg) | Sulfisomidine | N.D. | 200 | ppm(mg/kg) |
| Hydrochlorothiazide | N.D. | 200 | ppm(mg/kg) | Sulfisoxazole | N.D. | 200 | ppm(mg/kg) |
| Chlorothiazide | N.D. | 200 | ppm(mg/kg) | Tetracycline HCI | N.D. | 400 | ppm(mg/kg) |
| 局部麻醉類 | | | | Trimethoprim | N.D. | 200 | ppm(mg/kg) |
| Benzocaine | N.D. | 200 | ppm(mg/kg) | Griseofulvin | N.D. | 200 | ppm(mg/kg) |
| Tetracaine HCI | N.D. | 200 | ppm(mg/kg) | 抗組織胺類 | | | |
| 抗生素類 | | | | Cetirizine 2HCI | N.D. | 200 | ppm(mg/kg) |
| Amikacin | N.D. | 1000 | ppm(mg/kg) | Chlorpheniramine maleate | N.D. | 200 | ppm(mg/kg) |
| Benzathine- | N.D. | 200 | ppm(mg/kg) | Cyproheptadine HCI | N.D. | 40 | ppm(mg/kg) |
| benzylpenicillin | | | | | | | |
| Chlortetracycline HCl | N.D. | 400 | ppm(mg/kg) | Cinnarizine | N.D. | 200 | ppm(mg/kg) |
| Ciprofloxacin (CFA) | N.D. | 20 | ppm(mg/kg) | 降血脂用藥 | | | |
| Clindamycin phosphate | N.D. | 100 | ppm(mg/kg) | Bezafibrate | N.D. | 40 | ppm(mg/kg) |
| Cloxacillin Sodium | N.D. | 200 | ppm(mg/kg) | Gemfibrozil | N.D. | 200 | ppm(mg/kg) |
| Difloxacin-HCI | N.D. | 200 | ppm(mg/kg) | 降眼壓劑 | | | |
| Dimetridazole | N.D. | 200 | ppm(mg/kg) | Timolol Maleate | N.D. | 200 | ppm(mg/kg) |
| Enrofloxacin | N.D. | 100 | ppm(mg/kg) | 神經興奮劑類 | | | |
| Lincomycin HCI | N.D. | 200 | ppm(mg/kg) | Theophylline | N.D. | 400 | ppm(mg/kg) |
| Lomefloxacin | N.D. | 200 | ppm(mg/kg) | 痛風治療類用藥 | | | |
| Minocycline HCI | N.D. | 200 | ppm(mg/kg) | Sulfinpyrazone | N.D. | 100 | ppm(mg/kg) |
| Nalidixic acid (NAA) | N.D. | 200 | ppm(mg/kg) | Probenecid | N.D. | 200 | ppm(mg/kg) |
| Norfloxacin | N.D. | 200 | ppm(mg/kg) | 腸胃類用藥 | | | |
| Ofloxacin | N.D. | 200 | ppm(mg/kg) | Bisacodyl | N.D. | 40 | ppm(mg/kg) |
| ОТС | N.D. | 2000 | ppm(mg/kg) | Cimetidine | N.D. | 200 | ppm(mg/kg) |
| Oxolinic acid | N.D. | 200 | ppm(mg/kg) | 解熱止痛劑 | | | |
| Oxybutynin | N.D. | 40 | ppm(mg/kg) | Acetaminophen | N.D. | 400 | ppm(mg/kg) |
| Sulfadiazine (SDZ) | N.D. | 200 | ppm(mg/kg) | Acetophenetidin | N.D. | 40 | ppm(mg/kg) |
| Sulfadimethoxine | N.D. | 200 | ppm(mg/kg) | Bucetin | N.D. | 40 | ppm(mg/kg) |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the

Company.除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。
This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



檢驗報告

報告編號: UB/2010/A0781A-01 日期: 2010年11月08日 頁數:3 of 4

凱斯登傳播有限公司

台北市中山區忠孝東路2段66號2F

| 測試項目 | 測試結果 | 檢測極限 | 單位 | 測試項目 | 測試結果 | 檢測極限 | 單位 |
|------------------------|------|------|------------|----------------------|------|------|------------|
| Diclofenac sodium salt | N.D. | 200 | ppm(mg/kg) | 糖尿病用藥 | | | |
| Ethoxybenzamide | N.D. | 200 | ppm(mg/kg) | Gliclazide | N.D. | 40 | ppm(mg/kg) |
| Fenbufen | N.D. | 200 | ppm(mg/kg) | Metformin | N.D. | 200 | ppm(mg/kg) |
| Flufenamic acid | N.D. | 40 | ppm(mg/kg) | Chlorpropamide | N.D. | 200 | ppm(mg/kg) |
| Flurbiprofen | N.D. | 200 | ppm(mg/kg) | Tolazamide | N.D. | 200 | ppm(mg/kg) |
| Ibuprofen | N.D. | 200 | ppm(mg/kg) | Tolbutamide | N.D. | 200 | ppm(mg/kg) |
| Indomethacin | N.D. | 200 | ppm(mg/kg) | 鎮咳怯痰劑 | | | |
| Ketoprofen | N.D. | 200 | ppm(mg/kg) | Ambroxol HCI | N.D. | 400 | ppm(mg/kg) |
| Mefenamic | N.D. | 40 | ppm(mg/kg) | Bromhexine HCI | N.D. | 200 | ppm(mg/kg) |
| Naproxen | N.D. | 100 | ppm(mg/kg) | Dextromethorphan HCI | N.D. | 200 | ppm(mg/kg) |
| Oxyphenbutazone | N.D. | 200 | ppm(mg/kg) | Eprazinone HCI | N.D. | 200 | ppm(mg/kg) |
| Phenylbutazone | N.D. | 200 | ppm(mg/kg) | Guaifenesin | N.D. | 200 | ppm(mg/kg) |
| Piroxicam | N.D. | 40 | ppm(mg/kg) | Cloperastine HCI | N.D. | 200 | ppm(mg/kg) |
| Salicylamide | N.D. | 400 | ppm(mg/kg) | Papaverine HCI | N.D. | 200 | ppm(mg/kg) |
| Sulindac | N.D. | 200 | ppm(mg/kg) | 類固醇類 | | | |
| Benzydamine HCI | N.D. | 200 | ppm(mg/kg) | Betamethasone | N.D. | 200 | ppm(mg/kg) |
| Bufexamac | N.D. | 200 | ppm(mg/kg) | Dexamethasone | N.D. | 200 | ppm(mg/kg) |
| Niflumic acid | N.D. | 200 | ppm(mg/kg) | Methylprednisolone | N.D. | 200 | ppm(mg/kg) |
| Phenacetin | N.D. | 200 | ppm(mg/kg) | Prednisolone | N.D. | 200 | ppm(mg/kg) |
| 精神安定類 | | | | Triamcinolone | N.D. | 200 | ppm(mg/kg) |
| Amp | N.D. | 200 | ppm(mg/kg) | 荷爾蒙類 | | | |
| Chlormezanone | N.D. | 400 | ppm(mg/kg) | Progesterone | N.D. | 200 | ppm(mg/kg) |
| Chlorpromazine HCI | N.D. | 100 | ppm(mg/kg) | 其他 | | | |
| Cocaine | N.D. | 200 | ppm(mg/kg) | 4-dimethylamino HCl | N.D. | 200 | ppm(mg/kg) |
| Ermine | N.D. | 200 | ppm(mg/kg) | O-phenylphenol | N.D. | 600 | ppm(mg/kg) |
| Fluoxetine HCI | N.D. | 100 | ppm(mg/kg) | Santonin | N.D. | 200 | ppm(mg/kg) |
| FM2 | N.D. | 200 | ppm(mg/kg) | -以下空白- | | | |
| Haloperidol | N.D. | 100 | ppm(mg/kg) | | | | |
| Heroin | N.D. | 200 | ppm(mg/kg) | | | | |
| MDMA | N.D. | 200 | ppm(mg/kg) | | | | |
| Methamp | N.D. | 200 | ppm(mg/kg) | | | | |
| Quetiapine | N.D. | 40 | ppm(mg/kg) | | | | |
| Sulpiride | N.D. | 200 | ppm(mg/kg) | | | | |
| THC | N.D. | 200 | ppm(mg/kg) | | | | |
| Primidone | N.D. | 200 | ppm(mg/kg) | | | | |

備註:1.本報告不得分離,分離使用無效。

2.低於方法偵測極限之測定值以"N.D."表示。 - END -

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the

Company.除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。
This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



檢驗報告

報告編號: UB/2010/A0781A-01 日期: 2010年11月08日

頁數:4 of 4

凱斯登傳播有限公司

台北市中山區忠孝東路2段66號2F

樣品照片



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the

Company.除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。
This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law